Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(common) near4 ((style adj sheet) template) near5 (RF cell wireless) near5 (device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
L2	1444	(common) near4 ((style adj sheet) template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
L3	0	(common) near4 ((style adj sheet) template) near (group) near5 (devid$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16
L4	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devid$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16
L5	0	(common) near4 ((style adj sheet) template) near (group) near5 (devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
L6	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
L7	0	(common) near4 ((style adj sheet) template) near5 (similar) near5 (devic$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
L8	152	(common) near4 ((style adj sheet) template) and (similar) near5 (devic$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
L9	3	((provid$4 creat$4 generat$4)near10 (service adj template)) and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
L10	0	((provid$4 creat$4 generat$4)near10 (individual adj template)) and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
L11	2	(default adj label) and (tag adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:48
L12	2297	(provid$4 creat$4 generat$4)near10 (multiple plurality many) near10 (template$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:55

L13	1091	(creat$4 generat$4) near5 (multiple plurality many) near5 (template$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:51
L14	184	L13 and (master common global universal main top) near3 (template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52
L15	3	L14 and XML and WML and HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52
L16	72	L12 and ((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
L17	1351	((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
L18	1137	((master) near2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
L19	927	((master) adj2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
L20	750	((master) adj1 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
L22	0	(generat$5 creat$5 produc$5) near5 (subtemplate) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
L23	12	(generat$5 creat$5 produc$5) near5 (subtemplate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
L24	485	((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:48
L25	466	(Hillis.inv.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:54

L26	0	(Hillis.inv.) and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:44
L27	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45
L28	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45
L29	2	(Hillis.inv.) and (XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:47
L30	0	(Hillis.inv.) AND ("715"/$.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:55
S1	2	"6589291".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 10:57
S2	2	"6477549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S3	1	(09/146717) and (sugiarto)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S4	15708	Markup adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:58
S5	17861	(Markup Mark adj up)adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:32
S6	11056	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:27
S7	3	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:35
S8	110	((provid$4 creat$4 generat$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:45

S9	87	(((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:49
S10	281	(((Markup Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:28
S11	0	((((Markup Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.) and ((provid$4 creat$4 generat$4)near10 ((universal master global) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:29
S12	0	(((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (label and (tag adj nam$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S13	0	((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:44
S14	9	((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:31
S15	800	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global subtemplate service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:39
S16	799	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global subtemplate service) and template))) and (label$4 tagname$4 XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S17	799	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:44
S18	300	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S19	31210	L9and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S20	300	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))) and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S21	6	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:56
S22	10982	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 14:54

S23	13	(((Markup Mark adj up)adj language) and @ad<"20010822") and (service adj templat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:33
S24	2	"5491820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:35
S25	2	"5530852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:37
S26	2	"5572643".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39
S27	2	"5793972".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39
S54	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:59
S55	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:00
S56	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:34
S57	0	S56 and ((devic$5) near10 (using requiring need$5) near10 (similar identicle) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S58	0	S56 and ((devic$5) near10 (using requiring need$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S59	0	S56 and ((devic$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S60	0	S56 and ((similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02

S61	18	S56 and (markup adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S62	2	"5665130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S63	2	"5655130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:41
S64	2	"5911776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:42
S65	2	"5915259".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:04
S66	2	"5119465".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S67	2	"5845299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S68	2	"6275829".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:07
S69	2	"6097389".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:14
S70	2	"5987480".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:49
S71	0	(master adj template) near10 (wireless near5 devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:26

S72	0	(master adj template) near10 (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S73	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S74	0	S73 and ((devic$5) near10 (using requiring need$5) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S75	2	"6708189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27
S76	2	"6408360".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27
S77	2	"6272492".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:29
S78	2	"6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:31
S79	2	"6571246".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S80	0	(2004/0030697) and (cochran)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S81	2	"6651217".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:33
S82	1	(master adj template) and XML and HTML and WML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:40

|						
S83	16	(master adj template) and XML and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:35
S84	13	(master adj template) and XML and (PDA cell phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:43
S85	2	"6658418".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:44
S86	0	(master near3 template) near10 (device near3 type) near10 (plurality multiple several) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:54
S87	1	(master near3 template) near10 (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S88	0	(master near3 template) near10 ((plurality multiple several) near5 device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S89	26	((Markup Mark adj up)adj language) and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template)) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:05
S90	112	(transform$5) near5 (data (markup adj language)) and template and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S91	106	(transform$5) near5 (data (markup adj language)) and template and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S92	107	(transform$5) near5 (data (markup adj language)) and templat$5 and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:26
S93	0	(transform$5) near5 (data (markup adj language)) and ((sub master) adj templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28
S94	0	(transform$5) near5 (data (markup adj language)) and ((master) adj templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:27
S95	0	(transform$5) near5 (data (markup adj language)) and ((sub master) adj templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28

S96	106	(transform$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:05
S97	8	(transform$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic$5) and (master)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:11
S98	0	(generat$5 creat$5 produc$5) near5 (template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S99	0	(template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29
S100	20001	"715"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29
S101	0	S100 and ((((provid$4 creat$4 generat$4)near10 ((universal master) adj template)))and (label and (tag adj nam$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S102	0	S100 and ((transform$5) near5 (data (markup adj language)) and ((sub master) adj templates)) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:31
S103	31	S100 and (transform$5 near5 (data (markup adj language))) and (templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S104	0	S100 and (transform$5 near5 (data (markup adj language))) and (master) near4 (style adj sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:54
S105	0	S100 and (transform$5 near5 (data (markup adj language))) and (unique) adj (templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S106	0	S100 and (transform$5 near5 (data (markup adj language))) and (master) near4 (XSL) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:42
S107	2	S100 and (transform$5 near5 (data (markup adj language))) and (master general main) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:00
S108	2	S100 and (transform$5 near5 (data (markup adj language))) and (master general main one-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:01

S10 9	0	S100 and (transform$5 near5 (data (markup adj language))) and (one-to-many few-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:09
S11 0	59	(hillis) and (hong, stephens.xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:12
S11 1	481	(hillis et al) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:36
S11 2	0	(hillis near3 et near3 al) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29
S11 3	0	(hillis) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 4	62	(Master) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 5	470	(hillis near3 et near3 al)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:32
S11 6	1	"5590283".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:30
S11 7	1	"4709327".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:32
S11 8	1	(hillis near3 et near3 al) and ("715"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:13
S11 9	0	(hilis near3 et near3 al) and ("715"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:40
S12 0	0	(hillis near3 et near3 al) and (715/501.1,513,517.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:37
S12 1	3	(general master main) near5 (style near3 (template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:43
S12 2	4	(general master main) near5 ((template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08
S12 3	1	(09/932656) and (Fitzsimons)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE Xplore®
RELEASE 1.8

IEEE Xplore®
1 Million Documents
1 Million Users
...And Growing

Help   FAQ   Terms   IEEE Peer Review   **Quick Links**   ▽   » Se,

Welcome to IEEE Xplore

O- **Home**
O- **What Can I Access?**
O- **Log-out**

Tables of Contents

O- **Journals & Magazines**
O- **Conference Proceedings**
O- **Standards**

Search

O- **By Author**
O- **Basic**
O- **Advanced**
O- **CrossRef**

Member Services

O- **Join IEEE**
O- **Establish IEEE Web Account**
O- **Access the IEEE Member Digital Library**

IEEE Enterprise

O- **Access the IEEE Enterprise File Cabinet**

Your search matched **1** of **1103149** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

| 'general style sheet ' | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard
🔖 = Your access to full-text

---

1 **Imagine: a tool for generating HTML style sheets with an interactive genetic algorithm based on genes frequencies**
Monmarche, N.; Nocent, G.; Slimane, M.; Venturini, G.; Santini, P.;
Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings.
IEEE International Conference on , Volume: 3 , 12-15 Oct. 1999
Pages:640 - 645 vol.3

[Abstract]   [PDF Full-Text (640 KB)]   **IEEE CNF**

🖶 Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

h   eee   e eee   g e ch e ch e   e   c e   e   ec   e

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE

◆**IEEE**

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore®*
RELEASE 1.8

IEEE *Xplore®*
1 Million Documents
1 Million Users
...And Growing

Help   FAQ   Terms   IEEE Peer Review | **Quick Links** ▽ |

» Se.

Your search matched **0** of **1103149** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

| one to many style sheet | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard
📰 = Your access to full-text

Results:
No documents matched your query.

🖨 Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

h   eee   e eee   g e ch e ch e   e   c e   e   ec   e

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE   ◆IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore®*
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se.

Help   FAQ   Terms   IEEE Peer Review | **Quick Links**   ☑ |

Welcome to IEEE Xplore

○- **Home**
○- **What Can I Access?**
○- **Log-out**

Tables of Contents

○- **Journals & Magazines**
○- **Conference Proceedings**
○- **Standards**

Search

○- **By Author**
○- **Basic**
○- **Advanced**
○- **CrossRef**

Member Services

○- **Join IEEE**
○- **Establish IEEE Web Account**
○- **Access the IEEE Member Digital Library**

IEEE Enterprise

○- **Access the IEEE Enterprise File Cabinet**

Your search matched **1** of **1103149** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

| 'master style sheet'<or>'master template' | | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard
🗎 = Your access to full-text

---

1 **Word recognition by means of orthogonal functions**
Clark, M.;
Audio and Electroacoustics, IEEE Transactions on , Volume: 18 , Issue: 3 , Se 1970
Pages:304 - 312

[Abstract]   [PDF Full-Text (976 KB)]   **IEEE JNL**

🖨 Print Format

h   eee   e eee   g e ch e ch e   e   e   e hee   c